




[www.veelite.com](http://www.veelite.com)

**External and Carpark lighting  
Application Guide**

**Veelite**

# Index

[www.veelite.com](http://www.veelite.com)





## Optra Series

450w PMH on 6m Columns  
Grey Finish



Superior high performance architectural luminaire for carpark illumination. Minimise column clutter (maximise spacings). Typically 1 fitting for every 18 parking spaces.

# Optra Series

400w HPS on 8m Constant  
Diameter Columns  
Grey Finish RAL 9006



Superior high performance architectural luminaire for carpark illumination. Minimise column clutter (maximise spacings). Typically 1 fitting for every 18 parking spaces.





## Supralyte Series

400w HPS on 8m Constant  
Diameter Columns  
Black Finish



High performance carpark  
luminaire, with wide spacings  
to minimise column clutter,  
installation and maintenance.  
Typically 1 fitting for every 18  
parking spacings.



## Merrion Series

150w MH on 7m Tubular  
Columns (2 step) with Swan  
Neck Bracket  
Black Finish



Classical shaped luminaire with  
a choice of mounting brackets.

# Merrion Series

150w MH on 4m / 6m Tubular  
Columns with St Andre Bracket  
Galvanised Finish



Classical shaped luminaire with  
a choice of mounting brackets.



# Specials

Large Indirect Reflector




Photo shows large aluminium reflectors made to order for architectural effect.



# Wand Series

70w MH 4m high



A range of illuminated poles / bollards with heights to 4m, in stainless steel or painted finish, for architectural effect.





## Wand 606 Series

35w MH, 4.5m high



A range of illuminated aluminium poles/bollards with heights to 4.5m, with painted finish.

# Tower Bollard Series

70w MH with a height of 1m



A range of indirect Bollards offered in various heights, rooted or flanged.





## SS Bollard Series

24w CFL  
Height 840mm  
Stainless Steel



Robust Stainless Steel or  
Aluminium Bollards, rooted or  
flanged.

## Louvered Bollard Series

70w HPS RAL 9006  
Grey Finish



Functional Bollards offered in  
various heights to 3m, rooted or  
flanged.




# Excelite Series

1000w MH, RAL 9006  
6m Octagonal Galvanised  
Column with Extra long  
Outreach.



Contemporary shaped  
luminaire for carparks, road or  
sports applications.





## Round Parklite

200w Metal Halide



Minimal quantities (typically 1 for every 5 carpark spaces) and low maintenance, for high carpark usage.

## Parkdisc Series

2 x 55w CFL  
White Finish



Slim luminaire (111mm) for architectural low height areas, suitable for use with sensors. Typically 1 for every 2 carpark spaces.



# Other Product Application Images

[www.veelite.com](http://www.veelite.com)



Veelite Lighting  
Kilbary  
Waterford  
Ireland

T +353 51 875399  
F +353 51 878437  
E info@veelite.com

Photograph © Veelite

Specifications may change  
without prior notification

v.2.0 July 2009

[www.veelite.com](http://www.veelite.com)

**Veelite**